

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1322	encrypt\$3 adj (payload content) adj key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 14:03
L2	291	(encrypt\$3 adj (payload content packet\$2) adj key\$2) and ((attach\$2 add \$3 append\$3) header \$2) and (key\$2 adj encrypt\$3 adj key\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 14:05
L3	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L4	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L5	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L6	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L7	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L8	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L9	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L10	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L11	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L12	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L13	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L14	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L15	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L16	1537	L12 or L13 or L14 or L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L17	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L18	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L19	141	L16 and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L20	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L21	144	L16 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L22	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L23	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L24	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L25	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L26	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L27	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L28	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L29	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L30	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L31	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L32	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L33	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L34	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L35	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L36	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L37	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L38	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L39	1537	L35 or L36 or L37 or L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L40	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L41	1537	L35 or L36 or L37 or L38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L42	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L43	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L44	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L45	141	L41 and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L46	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L47	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L48	144	L41 and L47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L49	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L50	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L51	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L52	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L53	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L54	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L55	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L56	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L57	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L58	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L59	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L60	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L61	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L62	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L63	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L64	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L65	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L66	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L67	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L68	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L69	1537	L65 or L66 or L67 or L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L70	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L71	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L72	141	L69 and L71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L73	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47



L74	144	L69 and L73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L75	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L76	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L77	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L78	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L79	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L80	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L81	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L82	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L83	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L84	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L85	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L86	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L87	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L88	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L89	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L90	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L91	0	(713/201).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L92	1537	L88 or L89 or L90 or L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L93	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L94	1537	L88 or L89 or L90 or L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L95	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L96	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L97	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L98	141	L94 and L97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L99	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L100	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L101	144	L94 and L100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L102	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L103	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L104	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L105	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L106	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L107	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L108	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L109	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L110	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L111	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L112	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L113	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L114	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L115	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L116	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L117	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L118	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L119	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L120	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L121	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L122	1537	L118 or L119 or L120 or L121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L123	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L124	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L125	141	L122 and L124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L126	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L127	144	L122 and L126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L128	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L129	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L130	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L131	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L132	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L133	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L134	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L135	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L136	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L137	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L138	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L139	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L140	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L141	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L142	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L143	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L144	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L145	1537	L141 or L142 or L143 or L144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L146	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L147	1537	L141 or L142 or L143 or L144	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L148	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47



L149	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L150	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L151	141	L147 and L150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L152	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L153	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L154	144	L147 and L153	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L155	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L156	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L157	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L158	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L159	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L160	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L161	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L162	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L163	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L164	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L165	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L166	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L167	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L168	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L169	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L170	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L171	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L172	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L173	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L174	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L175	1537	L171 or L172 or L173 or L174	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L176	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L177	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L178	141	L175 and L177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L179	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L180	144	L175 and L179	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L181	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L182	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L183	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L184	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L185	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L186	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L187	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L188	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L189	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L190	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L191	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L192	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L193	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L194	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L195	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L196	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L197	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L198	1537	L194 or L195 or L196 or L197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L199	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L200	1537	L194 or L195 or L196 or L197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L201	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L202	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L203	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L204	141	L200 and L203	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L205	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L206	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L207	144	L200 and L206	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L208	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L209	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L210	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L211	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L212	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L213	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47

L214	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L215	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L216	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L217	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L218	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L219	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L220	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L221	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:47
L222	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L223	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48



L224	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L225	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L226	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L227	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L228	1537	L224 or L225 or L226 or L227	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L229	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L230	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L231	141	L228 and L230	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L232	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L233	144	L228 and L232	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L234	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L235	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L236	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L237	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L238	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L239	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L240	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L241	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L242	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L243	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L244	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L245	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L246	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L247	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L248	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L249	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L250	0	(713/201).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L251	1537	L247 or L248 or L249 or L250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L252	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L253	1537	L247 or L248 or L249 or L250	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L254	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L255	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L256	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L257	141	L253 and L256	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L258	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L259	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L260	144	L253 and L259	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L261	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L262	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L263	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L264	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L265	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L266	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L267	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L268	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L269	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L270	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L271	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L272	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L273	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L274	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L275	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L276	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L277	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L278	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L279	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L280	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L281	1537	L277 or L278 or L279 or L280	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L282	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L283	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L284	141	L281 and L283	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L285	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L286	144	L281 and L285	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L287	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L288	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L289	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L290	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L291	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L292	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L293	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L294	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L295	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L296	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L297	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48



L298	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L299	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L300	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L301	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L302	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L303	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L304	1537	L300 or L301 or L302 or L303	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L305	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L306	1537	L300 or L301 or L302 or L303	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L307	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L308	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L309	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L310	141	L306 and L309	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L311	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L312	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L313	144	L306 and L312	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L314	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L315	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L316	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L317	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L318	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L319	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L320	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L321	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L322	396	(713/162).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L323	716	(713/151).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L324	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L325	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L326	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L327	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L328	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L329	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L330	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L331	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L332	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L333	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L334	1537	L330 or L331 or L332 or L333	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L335	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L336	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L337	141	L334 and L336	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L338	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L339	144	L334 and L338	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L340	529	(713/160).ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L341	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L342	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L343	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L344	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L345	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L346	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L347	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L348	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L349	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L350	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L351	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L352	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L353	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L354	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L355	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L356	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L357	1537	L353 or L354 or L355 or L356	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L358	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L359	1537	L353 or L354 or L355 or L356	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L360	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L361	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L362	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L363	141	L359 and L362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L364	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L365	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L366	144	L359 and L365	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L367	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L368	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L369	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L370	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L371	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L372	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48



L373	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L374	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L375	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L376	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L377	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L378	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L379	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L380	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L381	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L382	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L383	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L384	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L385	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L386	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L387	1537	L383 or L384 or L385 or L386	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L388	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L389	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L390	141	L387 and L389	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L391	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L392	144	L387 and L391	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L393	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L394	499	((double or twice) with encrypt\$) with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L395	45	((double or twice) with encrypt\$) with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L396	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L397	595	(encrypt\$ with data with network with (transmission or transmits or transmitting)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L398	431	(encrypt\$ with header with packet with decrypt\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L399	36	(encrypt\$ with header with packet with decrypt\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L400	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L401	921	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption) and twice	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L402	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L403	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L404	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L405	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L406	529	(713/160).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L407	396	(713/162).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L408	716	(713/151).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L409	0	(713/201).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L410	1537	L406 or L407 or L408 or L409	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L411	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L412	1537	L406 or L407 or L408 or L409	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L413	986	fan-r\$.in. or tiwari-a \$.in. or tumuluri-r\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L414	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L415	5436	(transmit or transmission or transceiver) and wireless and payload and header and (encrypt or encrypted or encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L416	141	L412 and L415	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L417	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L418	3904	(encrypt\$ with data with network with (transmission or transmits or transmitting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48

L419	144	L412 and L418	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L420	3429	\$crypt\$4 same packet \$2 same key same transmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L421	1471	\$crypt\$4 same packet \$2 same key same transmi\$5 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L422	1008956	twice \$crypt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L423	7969	(twice \$crypt\$4) same packet\$2 same key\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L424	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same transmi \$4 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L425	1	(twice adj \$crypt\$4) same packet\$2 same key\$2 same payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L426	200	(twice adj \$crypt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 15:48
L427	2	"6055314".pn. and (location global gps locator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/01 17:16

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**1/ 1/ 2010 5:21:37 PM**

**C:\ Documents and Settings\ tteslovich\ My Documents\ EAST\ Workspaces\ 09927928.wsp**